



hasan shemirani

[mui.ac.ir](mailto:hasan.shemirani@mui.ac.ir)

Verified email at med.mui.ac.ir

[interventional cardiology](#)

<u>Title</u>	<u>Cited by</u>	<u>Year</u>
Correlation of echocardiographic epicardial fat thickness with severity of coronary artery disease-an observational study. H Shemirani, M Meysam Khoshavi Anatolian Journal of Cardiology/Anadolu Kardiyoloji Dergisi 12 (3)	49	2012
Relationship between depression and apolipoproteins A and B: a case-control study M Sadeghi, H Roohafza, H Afshar, F Rajabi, M Ramzani, H Shemirani, ... Clinics 66 (1), 113-117	24	2011
A randomized trial of saline hydration to prevent contrast-induced nephropathy in patients on regular captopril or furosemide therapy undergoing percutaneous coronary intervention H Shemirani, M Pourmoghaddas Saudi Journal of Kidney Diseases and Transplantation 23 (2), 280	21	2012
Comparison of no-reflow phenomenon after percutaneous coronary intervention for acute myocardial infarction between smokers and nonsmokers H Shemirani, FD Tafti, A Amirpour Journal of research in medical sciences: the official journal of Isfahan ...	11	2014
Echocardiographic assessment of inappropriate left ventricular mass and left ventricular hypertrophy in patients with diastolic dysfunction H Shemirani, R Hemmati, A Khosravi, M Gharipour, M Jozan Journal of research in medical sciences: the official journal of Isfahan ...	9	2012
The relative impact of smoking or Hypertension on severity of premature coronary artery disease H Shemirani, KH Separham IRANIAN RED CRESCENT MEDICAL JOURNAL (IRCMJ) 9 (4), 177-181	9	2007
Association of serum potassium level with ventricular tachycardia after acute myocardial infarction A Pourmoghaddas, H Shemirani, M Garakyaraghi ARYA atherosclerosis 8 (2), 79	8	2012
Methadone induced torsades de pointes and ventricular fibrillation: A case review S Khalesi, H Shemirani, F Dehghani-Tafti ARYA atherosclerosis 10 (6), 339	7	2014

<u>Title</u>	<u>Cited by</u>	<u>Year</u>
SMOKING OR HIGH BLOOD PRESSURE, WHICH ONE IS MORE IMPORTANT IN PREMATURE CORONARY ARTERYDISEASE? KH Separham, H Shemirani JOURNAL OF ISFAHAN MEDICAL SCHOOL (IUMS) 25 (84), 1-9	<u>7</u>	2007
The relationship between echocardiographic epicardial fat thickness and coronary artery disease H Shemirani, K Hosseini JOURNAL OF ISFAHAN MEDICAL SCHOOL (IUMS) 21 (73), 35-37	<u>6</u>	2004
The association between epicardial fat thickness in echocardiography and coronary restenosis in drug eluting stents F Nikaen, M Pourmoghadass, H Shemirani, SA Mirdamadi, M Akbari ARYA atherosclerosis 7 (1), 11	<u>4</u>	2011
Electrocardiographic characteristics of posterior myocardial infarction in comparison to angiographic findings H Shemirani, E Nayeri-Torshizi ARYA atherosclerosis 11 (1), 30	<u>3</u>	2015
Body mass index or microalbuminuria, which one is more important for the prediction and prevention of diastolic dysfunction in non-diabetic hypertensive patients? H Shemirani, A Khosravi, R Hemmati, M Gharipour International journal of preventive medicine 3 (3), 211	<u>3</u>	2012
Assessment of clopidogrel on the left ventricular ejection fraction in acute myocardial infarction P Khosravi, H Shemirani, B Hedayatpour, A Golabchi International journal of preventive medicine 1 (4), 257	<u>3</u>	2010
Bilateral renal artery stenosis in three hundred candidate patients for coronary artery angiography H Shemirani, M POORMOGHADDAS JOURNAL OF RESEARCH IN MEDICAL SCIENCES (JRMS) 6 (4), 303-306	<u>3</u>	2002
Streptokinase efficacy in myocardial infarction management: is it related to serum antistreptokinase antibody titer H Shemirani, A REZAEI, SM KHAH, F OREYZI Journal of Research in Medical Sciences 5 (2)	<u>3</u>	2000
Echocardiographic measurement of epicardial fat thickness: In search for a consensus/Correlation of echocardiographic epicardial fat thickness with severity of coronary artery ... JO Cabrera-Rego, H Shemirani, M Khoshavi Anadolu Kardiyoloji Dergisi: AKD 12 (5), 448	<u>2</u>	2012
Evaluation of early alterations in transmitral diastolic flow and tissue doppler imaging findings of the septal and lateral segments of the left ventricle in the early period ... H Shemirani, K Karimi, R Madadi	<u>2</u>	2012

<u>Title</u>	<u>Cited by</u>	<u>Year</u>
ARYA Atheroscler 7, S13-S16		
Urine albumin to creatinine ratio and echocardiographic left ventricular structure and function in patients with essential hypertension.	<u>2</u>	2011
R Hemmati, M Gharipour, H Shemirani, A Khosravi, E Khosravi The American heart hospital journal 9 (2), 90-94		
Incidence of Neurological Syndromes After Thrombolytic Therapy In Elderly Patients With Acute Myocardial Infarction	<u>2</u>	2008
H Shemirani, SSF BAHARI JOURNAL OF ISFAHAN MEDICAL SCHOOL (IUMS) 26 (88), 85-91		
IS LIPOPROTEIN (A) A PREDICTOR OF CORONARY ARTERY DISEASE SEVERITY?	<u>1</u>	2010
T Miandoabi, M Sadeghi, H Shemirani ARYA Atheroscler 4 (2)		
The role of diuretics and angiotensin-converting enzyme inhibitors on contrast-induced nephropathy in patients after percutaneous coronary intervention	<u>1</u>	2007
AR Dadpey, H Shemirani, M POURMOGHADAS JOURNAL OF ISFAHAN MEDICAL SCHOOL (IUMS) 25 (85), 41-47		
Intracranial hemorrhage in normotensive and hypertensive patients receiving streptokinase after decreasing elevated blood pressure	<u>1</u>	2005
H Shemirani, SH Hashemi, O Beiki Journal of Research in Medical Sciences 10 (5), 292-297		
The evaluation of left ventricular diastolic dysfunction in patients with non-hemorrhagic stroke and atrial fibrillation		2017
M Najafi-Dalui, H Shemirani, R Zavar, A Eghbal ARYA atherosclerosis 13 (6), 299		
The role of Inflammatory Processes in Occurrence of Left Ventricular Failure in Patients with Chronic Kidney Disease		2017
H Shemirani, S Tavakol, A Atapoor, J Golshahi Advanced biomedical research 6		
Evaluation of Acute Aortic Dissection Type a Factors and Comparison the Postoperative Clinical Outcomes between Two Surgical Methods		2017
H Shemirani, A Mirmohamadsadeghi, B Mahaki, S Farhadi, ... Advanced biomedical research 6		
Impact of smoking on no-reflow phenomenon after percutaneous coronary intervention in patients with acute ST elevation myocardial infarction		2014
H Shemirani, FD Tafti, A Amirpour Journal of Research in Medical Sciences 19 (11)		
Does percutaneous nephrolithotomy cause elevated cardiac troponins?		2014
H Shemirani, R Khanjani, M Mohammadi-Sichani, S Mozafarpour, ... ARYA atherosclerosis 10 (1), 41		
Effects of streptokinase on reflow in rescue percutaneous coronary intervention		2013

<u>Title</u>	<u>Cited by</u>	<u>Year</u>
M Sanatkar, H Shemirani, H Sanei, M Pourmoghaddas, K Rabiei ARYA atherosclerosis 9 (1), 22		
Echocardiographic measurement of epicardial fat thickness: In search for a consensus/Correlation of echocardiographic epicardial fat thickness with severity of coronary artery ...		2012
H Shemirani, M Khoshavi ANADOLU KARDIOLOJİ DERGİSİ-THE ANATOLIAN JOURNAL OF CARDIOLOGY 12 (5), 449-449		
The incidence of neurological symptoms after thrombolytic therapy in elderly patients with acute myocardial infarction		2012
H Shemirani, SF Bahari Saravi, M Khoshavi ARYA Atheroscler 7, S111-S114		
Do high levels of antistreptokinase limit the efficacy of streptokinase in patients with myocardial infarction?		2012
H Shemirani, A Rezaie, S Matinkhah, F Arizi ARYA Atheroscler 7, S32-S35		
The efficacy of pharmaceutical combination of glucose, insulin, potassium, and magnesium along with thrombolytic therapy on the mortality of patients with acute myocardial ...		2012
M Garakyaraghi, M Kianjoo, M Mortazavi, N Sarrafzadegan, H Shemirani, ... ARYA Atheroscler 7, S36-S41		
Comparison of Epicardial Fat Thickness in Patients with Acute Coronary Syndrome or Chronic Stable Angina and Normal Individuals.		2012
M Khoshavi, H Shemirani, MA Esfahani, M Salehi, M Akbari, ... Journal of Isfahan Medical School 29 (167)		
of Cuban population was 1-18 mm and EFT > 5.2 mm was the risk factor, but in each population EFT size may be different because of racial differences. Of course in our study EFT ...		2012
H Shemirani, M Khoshavi Anadolu Kardiyol Derg 12, 447-54		
Julio Oscar Cabrera-Rego Department of Cardiology, Hospital Miguel Enriquez, Havana-Cuba		2012
H Shemirani, M Khoshavi Anadolu Kardiyol Derg 12, 447-54		
Evaluation of Early Alterations in Transmitral Diastolic Flow and Tissue Doppler Findings of the Septal and Lateral Segments of Left Ventricles in Early Period after Coronary ...		2011
H Shemirani, K Karimi, R Madadi Journal of Isfahan Medical School 28 (116)		
The Role Of Inflammation In Stent Restenosis More Than 1 Year After Drug Eluting Stent Implantation		2011
H Shemirani, F Nekooie, M Pourmoghaddas		

<u>Title</u>	<u>Cited by</u>	<u>Year</u>
Tibb-i junūb 14 (3), 159-164		
<u>Is lipoprotein (a), as predictor of severity of coronary artery disease?</u>		
H Shemirani, M Sadeghi, H Sanei, T Miandoabi Journal of Isfahan Medical School 27 (96), 291-297		2009
<u>IS LIPOPROTEIN (A) A PREDICTOR OF CORONARY ARTERY DISEASE</u>		
T MIANDOUABI, M Sadeghi, H Shemirani ARYA ATHEROSCLEROSIS 4 (2), 49-52		2008
<u>Isolated Acute Right Ventricular Myocardial Infarction and Ischemia in Patients with Exacerbation of Chronic Obstructive Pulmonary Disease</u>		
H Shemirani, M POURHADI IRANIAN RED CRESCENT MEDICAL JOURNAL (IRCMJ) 10 (4), 276-280		2008
<u>STREPTOKINASE EFFICACY IN PATIENTS WITH ACUTE MYOCARDIAL INFARCTION WITH LOW LEVEL ANT STREPTOKINASE ANTIBODY AND HIGH LEVEL LP (A) LIPOPROTEIN</u>		
H SHEMIRANI, F ABBASIAN IRANIAN HEART JOURNAL (IHJ) 9 (1), 34-39		2008
<u>ASSESSMENT OF ANTISTREPTOKINASE ANTIBODY AS A RISK FACTOR IN PREDICTING ACUTE MYOCARDIAL INFARCTION</u>		
A Rezaei, H Shemirani Journal of Cell and Tissue Research 7 (2), 1097		2007
<u>Anti-streptokinase Antibody Detection before and Immediately after Streptokinase Therapy in Patients with Myocardial Infarction</u>		
H Shemirani, A Rezaei Iranian Journal of Immunology 3 (2), 66-69		2006
<u>Pretreatment Plasminogen Activator Inhibitor-1 (PAI-1) Level in the Failure of Streptokinase Therapy in Acute Myocardial Infarction</u>		
H Shemirani, M Tajmiriahi, A Rezaei, F Oreisi Journal of Research in Medical Sciences 9 (4), 173-177		2004
<u>PRETREATMENT PLASMINOGEN ACTIVATOR INHIBITOR-1 (PAI-1) LEVEL IN THE FAILURE OF STREPTOKINASE THERAPY IN ACUTE MYOCARDIAL INFARCTION</u>		
H SHEMIRANI, RM TAJMIR, A REZAEI, F OREISI JOURNAL OF RESEARCH IN MEDICAL SCIENCES (JRMS) 9 (4), 22-26		2004
<u>INFLUENCE OF POTASSIUM CONCENTRATION IN DIALYSIS SOLUTION ON QTC DISPERSION CHANGES DURING HEMODIALYSIS</u>		
M AKBARZADEH, M GHARAVI, H SHEMIRANI JOURNAL OF ISFAHAN MEDICAL SCHOOL (IUMS) 20 (6970), 7-10		2003
<u>ASSESSMENT OF THE VALUE OF V4R CHEST LEAD IN RAISING THE DIAGNOSTIC EFFICACY OF EXERCISE TEST</u>		
H SHEMIRANI, MM POUR, A POURMOGHADDAS IRANIAN HEART JOURNAL (IHJ) 4 (12), 24-28		2003

<u>Title</u>	<u>Cited by</u>	<u>Year</u>
<p><u>CORRELATION BETWEEN SERUM POTASSIUM LEVEL AND VENTRICULAR TACHYCARDIA IN ACUTE MYOCARDIAL INFARCTION</u> A POURMOGHADDAS, H SHEMIRANI, YM GARAK THE JOURNAL OF QAZVIN UNIVERSITY OF MEDICAL SCIENCES</p>		2002
<p><u>EFFICACY OF GIKM (GLUCOSE, INSULIN, POTASSIUM, MAGNESIUM) THERAPY IN THE MANAGEMENT OF MYOCARDIAL INFARCTION COMPAIED TO CURRENT THROMBOLYTIC THERAPY: A DOUBLE BLIND ...</u> MG YARAGHI, M KIANJOO, M MORTAZAVI, N SARRAFZADEGAN, ... Journal of Research in Medical Sciences 6 (3)</p>		2001
<p><u>Technology Foresight: A Tool for sustainability</u> H Shemirani, F Nekooie, M Pourmoghaddas, L Shariaty, M Shojapour, ... بررسی شیوع علایم نورولوژیک به دنبال ترومبولیتیک تراپی در سالمندان مبتلا به انفارکتوس حاد میوکارد</p>		
<p>H Shemirani, SF Bahari Saravi ساروی ساروی، سیده فاطمه بهاری، حسن شمیرانی، مجله دانشکده پزشکی اصفهان ۲۶ (۸۸)، ۸۵-۹۱</p>		
<p><u>های ارزیابی تغییرات اولیه در فلوی دیاستولیک درجهی میترال و یافته</u> H Shemirani, K Karimi, R Madadi رضا مددی، کژال کریمی، حسن شمیرانی، مجله دانشکده پزشکی اصفهان ۲۸ (۱۱۶)</p>		
<p><u>های ارزیابی تغییرات اولیه در فلوی دیاستولیک درجهی میترال و یافته</u> HA Shemirani, KA Karimi مجله دانشکده پزشکی اصفهان ۲۸ (۱۱۶)</p>		
<p><u>مصرف سیگار یا فشار خون، کدامیک در الگوی درگیری بیماری عروق کرونر زودرس، مهمتر است؟</u> K Separham, H Shemirani خاطره سپرهم، حسن شمیرانی، مجله دانشکده پزشکی اصفهان ۲۵ (۸۴)، ۹-۱</p>		
<p><u>Is Lp (a), as a predictor of Severity of CAD?</u> T Miandoabi, M Sadeghi, H Shemirani نقش دیورتیک‌ها و مهارکننده‌های آنزیم مبدل آنژیوتانسین در ایجاد نفروپاتی ناشی از ماده حاجب در بیماران پس از انجام مداخله کرونری از راه یوس</p>		
<p>A Dadpey, H Shemirani... علیرضا دادپی، حسن شمیرانی، مسعود پور مقدس، مجله دانشکده پزشکی اصفهان ۲۵ (۸۵)، ۴۷-۴۱</p>		
Articles 1-57		